Approved For Release 2003/08/26 : CIA-RDP84-00933R000100020013-7

DDP

06 April 1981

STATINTL MEMORANDUM FOR: [redacted]
Chief, Engineering Division, ODP

STATINTL THRU : [redacted]
Deputy Director for Processing, ODP

STATINTL FROM : [redacted]
Chief, Management Staff, ODP

SUBJECT : Excess Braille Computer Terminal

1. We recently received the attached Property Turn-In (PTI) document from the Office of Political Analysis describing a Braille Computer Terminal excess to their needs. Since this equipment is unusual and costly to replace, I think it may be to ODP's advantage to acquire it.

2. As you can see on the PTI, however, the equipment was stored outside at the depot and may be damaged. I would appreciate if you would evaluate the terminal and determine if it is usable or cost effective to repair. With this information, we will be better able to determine whether to acquire it or declare it excess to Agency needs. Please let me know the results of your evaluation so the appropriate paperwork can be initiated.

[redacted]

STATINTL

Att: a/s

STAT ODP/MS/EEB:chm/[redacted](6April81)(bra-term)(red disk)

DISTRIBUTION:

Original and 1 - Addressee
✓2 - O/D/ODP
1 - MS Chrono
1 - MS Subj. File Excess Equipment
2 - ODP Registry

Approved For Release 2003/08/26 : CIA-RDP84-00933R000100020013-7

25X1

Approved For Release 2003/08/26 : CIA-RDP84-00933R000100020013-7



Approved For Release 2003/08/26 : CIA-RDP84-00933R000100020013-7